




Sub E3 Cont.  
diisocyanate of formula (Ia) is:



wherein each of  $\text{R}^1$  and  $\text{R}^2$  has formula (II):



diisocyanate of formula (Ib) wherein, in formula (I), one of  $\text{R}^1$  or  $\text{R}^2$  has formula (II) and the other radical has formula (III):



diisocyanate of formula (Ic) wherein, in formula (I), each of  $\text{R}^1$  and  $\text{R}^2$  has formula (III);

$\text{R}^3$  is a 5- or 6-membered cycloalkyl radical in which up to three hydrogen atoms are optionally substituted by  $\text{C}_1$ - $\text{C}_4$ -alkyl groups and one or two ring carbon atoms are optionally substituted by direct attachment of oxygen of an oxygen-containing functional group or a tertiary nitrogen atom substituted by two  $\text{C}_1$ - $\text{C}_4$ -alkyl groups;

a  $\text{C}_1$ - $\text{C}_4$ -alkyl radical in which one hydrogen atom of the alkyl radical is substituted by a 5- or 6-membered cycloalkyl radical in which up to three hydrogen atoms are optionally substituted by  $\text{C}_1$ - $\text{C}_4$ -alkyl groups and one or two ring carbon atoms are optionally substituted by direct attachment of oxygen of an oxygen-containing functional group or a tertiary nitrogen